

FACTooling Inventory

3 FLUTE UNCOATED		
FT3-125	64	3 FLUTE 1/8" DIAMETER
FT3-187	40	3 FLUTE 3/16" DIAMETER
FT3-187-30°	4	3 FLUTE 3/16" DIAMETER 30° HELIX
FT3-187-ECC	20	3 FLUTE 3/16" DIAMETER ECCENTRIC
FT3-250	60	3 FLUTE 1/4" DIAMETER
FT3-250-ECC	9	3 Flute 1/4" Diameter Eccentric Cut
FT3-312	58	3 FLUTE 5/16" DIAMETER
FT3-375	35	3 FLUTE 3/8" DIAMETER
FT3-500	50	3 FLUTE 1/2" DIAMETER
FT3-625	5	3 FLUTE 5/8" DIAMETER
FT3-750	1	3 FLUTE 3/4" DIAMETER
3 FLUTE INOXACON		
FT3-375-ECC-I	4	3 Flute 3/8" Diameter Eccentric Cut InoxaCon
FT3-500 ECC-I	3	3 Flute 1/2" Diameter Eccentric Cut InoxaCon Coating
FT3-500-I	1	3 Flute 1/2" Diameter InoxaCon Coating

3 Flute Aluminum		
FT3A-125-ALU	12	3 Flute aluminum 1/8" Diameter AluSpeed
FT3A-125-AC	0	3 Flute Aluminum cutting 1/8" Diameter AluCon Coating
FT3A-187	9	3 FLUTE ALUMINUM 3/16" DIAMETER
FT3A-187-ALU	25	3 Flute Aluminum cutting 3/16" Diameter AluSpeed
FT3A-250	25	3 Flute Aluminum cutting 1/4" Diameter
FT3A-250-ALU	0	3 Flute Aluminum Cutting 1/4" Diameter AluSpeed coating
FT3A-312	30	3 FLUTE ALUMINUM 5/16" DIAMETER
FT3A-312-ALU	40	3 FLUTE ALUMINUM 5/16" DIAMETER ALUSPEED
FT3A-375	19	3 FLUTE ALUMINUM 3/8" DIAMETER
FT3A-375-ALU	26	3 FLUTE ALUMINUM 3/8" DIAMETER ALUSPEED
FT3A-500	65	3 FLUTE ALUMINUM 1/2" DIAMETER
FT3A-500-ALU	44	3 FLUTE ALUMINUM 1/2" DIAMETER
FT3A-500-ALU-CB	7	3 FLUTE ALUMINUM 1/2" DIAMETER ALUSPEED CHIP BREAKER
FT3A-625	6	3 FLUTE ALUMINUM 5/8 DIAMETER
FT3A-625-ALU	25	3 FLUTE ALUMINUM 5/8" DIAMETER ALUSPEED
FT3A-750	1	3 FLUTE ALUMINUM 3/4" DIAMETER
FT3A-750-AC	0	3 Flute Aluminum Cutting 3/4" Diameter AluCon Coating
FT3A-750-ALU	1	3 Flute 3/4" Diameter AluSpeed Coating

3 FLUTE BALL NOSE		
B-FT3-125	11	3 FLUTE 125 DIAMETER BALL NOSE
B-FT3-187	5	3 FLUTE 3/16" DIAMETER BALL NOSE
B-FT3-312	3	3 FLUTE 5/16" DIAMETER BALL NOSE
B-FT3-375	0	3 flute ball nose uncoated
B-FT3-500-ECC	3	3 FLUTE 1/2" DIAMETER BALL NOSE

3 FLUTE BALL NOSE ZRN		
B-FT3-125-Z	4	3 flute 1/8" Diameter ball nose ZRN coating
B-FT3-500-Z	4	3 Flute 1/2" Ball nose ZRN coating

3 FLUTE BALL NOSE ALUMINUM		
B-FT3A-125	5	3 FLUTE ALUMINUM 1/8" DIAMETER BALL NOSE
B-FT3A-125-ALU	2	3 FLUTE ALUMINUM 1/8" DIAMETER Aluspeed BALL NOSE
B-FT3A-250	3	3 FLUTE ALUMINUM 1/4" DIAMETER BALL NOSE
B-FT3A-250-ALU	7	3 FLUTE ALUMINUM 1/4" DIAMETER BALL NOSE ALUSPEED
B-FT3A-375-ALU	1	3 FLUTE ALUMINUM 3/8" DIAMETER ALUSPEED BALL NOSE
B-FT3A-500-ALU	2	3 flute Aluminum cutting 1/2" diameter ball nose Aluspeed coating

3 FLUTE BALL NOSE INOXACON		
B-FT3-375-I	0	3 Flute 3/8 diameter Ball nose InoxaCon coating

3 FLUTE LONG LENGTH		
L-FT3-125	5	3 FLUTE 1/8" DIAMETER LONG LENGTH OF CUT
L-FT3-187	8	3 FLUTE 3/16" DIAMETER LONG LENGTH OF CUT
LL-FT3-375-ECC	4	

3 FLUTE LONG LENGTH ZRN		
L-FT3-125-Z	30	3 FLUTE 1/8" DIAMETER LONG LENGTH OF CUT ZRN
L-FT3-312-Z	9	3 FLUTE 5/16" DIAMETER LONG LENGTH OF CUT ZRN
LL-FT3-375-ECC-Z	14	

3 FLUTE LONG LENGTH ALUMINUM		
L-FT3A-125-ALU	29	3 FLUTE ALUMINUM 1/8" DIAMETER LONG
L-FT3A-250-ALU	15	3 Flute Aluminum cutting 1/4" diameter long length AluSpeed Coating
L-FT3A-375	5	3 FLUTE ALUMINUM 3/8" DIAMETER LONG
L-FT3A-375-ALU	11	3 Flute aluminum cutting 3/8" diameter long length AluSpeed coating
L-FT3A-500	18	3 Flute aluminum cutting 1/2" diameter long length
L-L-FT3A-500-4-2-ALU-CB	3	3 FLUTE ALUMINUM 1/2" DIAMETER 4" OAL 2" LOC ALUSPEED CHIP BREAKER
L-FT3A-625-ALU	4	5/8 X 3-1/2 3 FL, DR, VI, ALUSPEED LONG 1-3/8" loc

3 FLUTE RADIUS		
R-FT3-312-.015	9	3 Flute 5/16" diameter 015 radius
R-FT3-312-020	10	3 Flute 5/16 diameter 020 radius
R-FT3-375-020	20	3 Flute 3/8" Diameter 020 radius
R-FT3-500-020	1	3 Flute 1/2" Diameter 020 radius

3 FLUTE RADIUS ZRN		
R-FT3-125-Z-010	25	3 Flute 1/8" diameter 010 radius ZRN Coating
R-FT3-187-Z-010	20	3 Flute 3/16" diameter 010 radius ZRN coating
R-FT3-250-Z-015	26	3 flute 1/4" diameter 015 radius ZRN coating
R-FT3-250-Z-050	3	3 FLUTE 1/4" DIAMETER 050 RADIUS ZRN COATING
R-FT3-375-Z-020	6	3 Flute 3/8" diameter 020 radius ZRN coating
R-FT3-375-Z-030	6	3 Flute 3/8" Diameter 030 radius ZRN Coating
R-FT3-500-Z-030	13	3 Flute 1/2" diameter 030 radius
R-FT3-500-Z-050	3	3 Flute 1/2" diameter 050 radius

3 FLUTE RADIUS ALUMINUM		
R-FT3A-500-ALU-030	18	3 FLUTE ALUMINUM 1/2" DIAMETER ALUSPEED 030 RADIUS
R-FT3A-500-ALU-060	5	3 FLUTE ALUMINUM 1/2" DIAMETER ALUSPEED 060 RADIUS
R-FT3A-500-ALU-125	4	3 FLUTE ALUMINUM 1/2" DIAMETER ALUSPEED 125 RADIUS

3 FLUTE STUB ALUMINUM

S-FT3A-250-ALU	1	3 FLUTE ALUMINUM 1/4" DIAMETER STUB LOC 3/4" ALUSPEED
----------------	---	---

4 FLUTE

FT4-125	80	4 Flute 1/8" Diameter
FT4-187	41	4 Flute 3/16" Diameter
FT4-250	50	4 Flute 1/4" Diameter
FT4-250 30° HELIX	7	4 Flute 1/4" Diameter 30° helix
FT4-312	60	4 Flute 5/16" Diameter
FT4-375	40	4 Flute 3/8" Diameter
FT4-375-30° HELIX	18	4 Flute 3/8" Diameter 30° Helix
FT4-500	48	4 Flute 1/2" Diameter
FT4-500 30° HELIX	10	4 Flute 1/2" Diameter 30° Helix
FT4-625	3	4 Flute 5/8" Diameter
FT4-750	1	4 Flute 3/4" Diameter

4 Flute Hyperlox

FT4-125-HP	46	4 Flute 1/8" Diameter Hyperlox coating
FT4-187-156-HP	2	5/32"D x 3/16"SHK x 3/8"LOC x 2"OAL 4 FI HYPERLOX
FT4-187-HP	56	4 Flute 3/16" Diameter Hyperlox
FT4-250-HP	84	4 Flute 1/4" Hyperlox
FT4-312-HP	90	4 Flute 5/16" Diameter Hyperlox
FT4-375-HP	70	4 Flute 3/8" Diameter Hyperlox coating
FT4-500-HP	6	4 Flute 1/2" Diameter Hyperlox Coating
FT4-625-HP	7	4 Flute 5/8" Diameter Hyperlox coating
FT4-750-HP	3	4 FLUTE 3/4" DIAMETER HYPERLOX
FT4-1000-HP	7	4 Flute 1" Diameter Hyperlox coating

4 FLUTE FERROCON		
FT4-375-F	2	4 Flute 3/8" diameter FerroCon coating
FT4-500-F	3	4 Flute 1/2" Diameter FerroCon
FT4-750-F	2	4 Flute 3/4" Diameter FerroCon Coating

4 FLUTE INOXACON		
FT4-187-I	0	4 Flute 3/16" Diameter InoxaCon
FT4-375-I	0	4 Flute 3/8" Diameter InoxaCon coating
FT4-500-I	7	4 Flute 1/2" Diameter InoxaCon Coating

4 FLUTE STEELCON		
FT4-500-SC	1	4 FLUTE 1/2' DIAMETER STEELCON

4 FLUTE BALL NOSE		
B-FT4-156	5	4 FLUTE 5/32" DIAMETER BALL NOSE
B-FT4-187-156	5	4 FLUTE 3/16" DIAMETER 156 CUT DIAMETER BALL NOSE
B-FT4-250	3	4 Flute 1/4" Diameter Ball Nose
B-FT4-250	38	4 FLUTE 1/4' DIAMETER BALL NOSE
B-FT4-312	10	4 Flute 5/16" Diameter Ball Nose
B-FT4-375	8	4 FLUTE 3/8 DIAMETER BALL NOSE
B-FT4-375-2"	17	4 Flute 3/8" Diameter 2" OAL Ball Nose
B-FT4-375-STUB-DE	9	4 FLUTE 3/8 DIAMETER BALL NOSE STUB DOUBLE ENDED
B-FT4-750	2	4 FLUTE 3/4" DIAMETER BALL NOSE

4 FLUTE BALL NOSE HYPERLOX		
B-FT4-125-HP	1	4 Flute 1/8" Diameter Ball Nose Hyperlox coating
B-FT4-187-156-HP	80	5/32 x 3/16 SHK x 5/16 LOC x 2" OAL 4 FI Var Ind, Dbl End, Stub, Ball Nose, AlTiN
B-FT4-187-HP	19	4 Flute 3/16" Diameter Ballnose Hyperlox
B-FT4-187-HP	2	4 FLUTE 3/16' BALL NOSE HYPERLOX COATING
B-FT4-250-HP	15	4 Flute 1/4" Diameter Ballnose Hyperlox
B-FT4-312-HP	4	4 Flute 5/16" Diameter Ballnose Hyperlox
B-FT4-437-406-HP	10	4 FLUTE 7/16 DIAMETER 406 CUT DIAMETER

		HYPERLOX COATING
B-FT4-4375-HP-DE	3	4 FLUTE 7/16" DIAMETER BALL NOSE DOUBLE ENDED HYPERLOX
B-FT4-500-HP	2	4 Flute 1/2" Diameter Ballnose Hyperlox
B-FT4-6MM-HP	2	4 Flute 6mm Diameter Ballnose Hyperlox
B-L-FT4-250-HP	27	4 FLUTE 1/4" DIAMETER LONG LENGTH OF CUT BALL NOSE NYPERLOX

4 FLUTE BALL NOSE INOXACON

B-FT4-375-I	1	4 Flute 3/8" Diameter Ball Nose InoxaCon coating
-------------	---	--

4 FLUTE BALL NOSE ALUCON

B-FT4-187-ALU	2	3 FLUTE 3/16" DIAMETER BALL NOSE ALUSPEED
---------------	---	---

4 FLUTE LONG LENGTH HYPERLOX

L-B-FT4-312-HP	1	4 Flute 5/16" diameter long length ball nose Hyperlox coating
L-FT4-125-HP	3	4 Flute 1/8" Diameter Long length Hyperlox coating
L-FT4-187-HP	6	4 Flute 3/16" diameter long length Hyperlox Coating
L-FT4-250-HP	8	4 Flute 1/4" diameter long length Hyperlox coating
L-FT4-312-HP	8	4 Flute 5/16" diameter long length Hyperlox coating
L-FT4-375-HP	6	4 Flute 3/8" diameter long length Hyperlox coating
L-FT4-500-HP	0	4 Flute 1/2" Diameter Long Length Hyperlox Coating
L-FT4-750-HP	3	4 Flute 3/4" diameter long length Hyperlox Coating
L-R-FT4-12MM-1MMR-HP-30 MMLOC	22	

4 FLUTE LONG LENGTH INOXACON

L-FT4-500-I	6	4 Flute 1/2" Diameter long length InoxaCon coating
-------------	---	--

4 FLUTE NECKED TOOLS INOXACON

N-FT4-500-I-2.25-3/4" LOC	3	N-FT4-500-I-2.25-3/4" LOC
---------------------------	---	---------------------------

4 FLUTE RADIUS		
R-FT4-187-015	3	4 Flute 3/16" Diameter 015 radius
R-FT4-250-.010	6	4 Flute 1/4" Diameter 010 radius
R-FT4-250-015	8	4 Flute 1/4" diameter 015 radius
R-FT4-250-020	13	4 Flute 1/4" diameter 020 radius
R-FT4-312-030	4	4 FLUTE 5/16" DIAMETER 030 RADIUS
R-FT4-375-.020	24	4 Flute 3/8" diameter 020 radius
R-FT4-375-030	3	4 Flute 3/8" diameter 030 radius
R-FT4-500-.060	16	4 Flute 1/2" diameter 060 radius
R-FT4-500-010	10	4 flute 1/2 diameter 010 radius
R-FT4-500-030	11	5 FLUTE 1/2" DIAMETER 030 RADIUS
R-FT4-500-030	12	4 FLUTE 1/2" DIAMETER 030 RADIUS
R-FT4-750-030	0	4 Flute 3/4" diameter 030 radius

4 FLUTE RADIUS HYPERLOX		
R-FT4-250-HP-015	5	4 Flute 1/4" diameter 015 radius Hyperlox Coating
R-FT4-312-HP-020	30	4 Flute 5/16" diameter 020 radius Hyperlox Coating
R-FT4-375-020-HP	3	4 Flute 3/8" diameter 020 radius Hyperlox coating
R-FT4-375-HP-020	9	4 FLUTE 3/8 DIAMETER 020 RADIUS HYPERLOX
R-FT4-500-030-HP	25	4 Flute 1/2" diameter 030 radius Hyperlox Coating
R-FT4-625-HP-030	0	4 Flute 5/8" diameter 030 radius Hyperlox Coating

4 FLUTE STUB FERROCON		
S-R-FT4-500-F-.020	1	4 Flute 1/2" diameter 020 radius stub length FerroCon

4 FLUTE STUB INOXACON		
S-R-FT4-500-I.030	2	4 Flute 1/2" diameter 030 radius stub length InoxaCon Coating

4 FLUTE WELDON FLAT INOXACON		
W-S-FT4-500-LOC1"-I	10	4 flute 1/2" 1" length of cut weldon InoxAcon coating

5 FLUTE		
FT5-312	17	5 Flute 5/16" Diameter

FT5-375	26	5 Flute 3/8" Diameter
---------	----	-----------------------

5 FLUTE HYPERLOX

FT5-250-HP	2	5 Flute 1/4" Diameter Hyperlox
FT5-250-HP	17	5 Flute 1/4" Diameter Hyperlox
FT5-250-HP	2	5 FLUTE 1/4' DIAMETER HYPERLOX
FT5-312-HP	3	5 Flute 5/16" Diameter Hyperlox
FT5-375-HP	4	5 Flute 3/8" Diameter Hyperlox Coating
FT5-500-HP	5	5 Flute 1/2" Diameter Hyperlox Coating
FT5-750-HP	1	5 FLUTE 3/4" DIAMETER HYPERLOX

5 FLUTE ALUCON

FT5-500-AC	1	5 Flute 1/2" Diameter AluCon Coating
------------	---	--------------------------------------

5 FLUTE FERROCON

FT5-250-F	17	5 Flute 1/4" Diameter FerroCon Coating
FT5-312-F	4	5 Flute 5/16" Diameter FerroCon
FT5-375-F	4	5 Flute 3/8" Diameter FerroCon Coating
FT5-375-F	4	5 Flute 3/8" Diameter FerroCon Coating
FT5-500-F	4	5 FLUTE 1/2' DIAMETER FERROCON
FT5-625-F	2	5 FLUTE 5/8' DIAMETER FERROCON COATING
FT5-750-F	0	5 Flute 3/4" FerroCon

5 FLUTE ALUMINUM

FT5A-250-ALU	40	5 FLUTE ALUMINUM 1/4" DIAMETER ALUSPEED
FT5A-312	5	5 FLUTE ALUMINUM 5/16" DIAMETER
FT5A-375-ALU	13	5 FLUTE ALUMINUM 5/16" DIAMETER ALUSPEED
FT5A-500-ALU	10	5 FLUTE ALUMINUM 1/2" DIAMETER ALUSPEED
FT5A-625	3	5 FLUTE ALUMINUM 5/8" DIAMETER
FT5A-750	4	5 FLUTE ALUMINUM 3/4" DIAMETER

5 FLUTE INOXACON

FT5-250-I	11	5 Flute 1/4" diameter InoxaCon
FT5-312-I	3	5 Flute 5/16" Diameter InoxaCon
FT5-500-I	16	5 Flute 1/2" Diameter InoxaCon coating

FT5-750-I	1	5 FLUTE 3/4" DIAMETER INOXACON
-----------	---	--------------------------------

5 FLUTE BALL NOSE ALUMINUM

B-FT5A-250-ALU	1	5 FLUTE ALUMINUM 1/4" DIAMETER ALUSPEED BALL NOSE
----------------	---	---

5 FLUTE LONG LENGTH

L-W-FT5-500	0	5 FLUTE 1/2" DIAMETER 4' OAL WELDON FLAT
-------------	---	--

5 FLUTE LONG LENGTH HYPERLOX

L-FT5-500-HP	13	5 Flute 1/2" diameter 030 radius weldon flat InoxaCon coating
--------------	----	---

5 FLUTE LONG LENGTH ALUMINUM

LL-FT5A-500-AC	2	5 FLUTE ALUMINUM CUTTING 4"OAL 2"LOC ALUCON
L-FT5A-500-AC-1.5"LOC	1	5 FLUTE ALUMINUM 1/2" DIAMETER 3.5 OAL 1.5 LOC ALUCON

5 FLUTE LONG LENGTH INOXACON

L-FT5-375-I-LOC1"	0	5 Flute 3/8" diameter long length 1" LOC InoxaCon coating
LL-R-FT5-500-I-030	7	
L-FT5A-500-I	2	5 FLUTE ALUMINUM CUTTING LONG LENGTH 1/2" DIAMETER INOXACON

5 FLUTE RADIUS

R-FT5-500-030	7	5 FLUTE 1/2" DIAMETER 030 RADIUS
R-FT5-500-030 HARD MATERIAL	4	

5 FLUTE RADIUS HYPERLOX

R-FT5-250-HP-015	8	5 Flute 1/4" diameter 015 radius Hyperlox
R-FT5-375-HP-020-1"LOC	10	5 FLUTE 3/8 DIAMETER 020 RADIUS 1" LOC HYPERLOX COATING
R-FT5-375-HP-060	8	5 Flite 3/8" diameter 060 radius Hyperlox coating
R-FT5-500-HP-030	25	5 flute 1/2 diameter 030 radius hyperlox coating
R-FT5-625-HP-030	6	5 Flute 5/8" diameter 030 radius Hyperlox Coating

5 FLUTE RADIUS FERROCON

R-FT5-250-F-015	1	5 Flute 1/4" diameter 015 radius FerroCon
R-FT5-250-F-020	2	5 Flute 1/4" diameter 020 radius FERROCON

5 FLUTE STUB

S-FT5-250	2	5 Flute 1/4" Diameter Stub Length
S-FT5-312-4375LOC	1	5 FLUTE 5/16" DIAMETER 7/16 LOC

5 FLUTE STUB HYPERLOX

S-R-FT5-250-HP	9	5 FLUTE 1/4' DIAMETER 3/8' LOC 2' OAL HYPERLOX
----------------	---	--

5 FLUTE STUB INOXACON

S-R-FT5-312-I-.015	0	5 Flute 5/16" diameter 7/16 LOC 015 radius InoxaCon coating
--------------------	---	---

5 FLUTE WELDON FLAT INOXACON

W-R-FT5-375-I-LOC-1"-020	2	5 Flute 3/8" diameter 1" LOC 020 radius InoxaCon coating weldon flat
--------------------------	---	--

6 FLUTE

FT6-500	2	6 Flute 1/2" diameter
---------	---	-----------------------

6 FLUTE HYPERLOX

FT6-187-HP	21	6 Flute 3/16" Diameter Hyperlox
FT6-187-HP	2	6 FLUTE 3/16" DIAMETER HYPERLOX
FT6-250-HP	45	6 Flute 1/4" Diameter Hyperlox

6 FLUTE FERROCON

FT6-500-F	1	6 Flute 1/2" Diameter FerroCon
-----------	---	--------------------------------

6 FLUTE LONG LENGTH INOXACON

L-FT6-750-I-LOC-1/5/8	4	6 Flute 3/4" diameter 1-5/8 LOC long length InoxaCon coating
-----------------------	---	--

6 FLUTE RADIUS		
R-FT6-500-030	5	6 flute 1/2" diameter 030 radius

6 FLUTE STUB		
S-R-FT6-500-125	2	

7 FLUTE		
FT7-500	1	7 Flute 1/2" diameter

7 FLUTE INOXACON		
FT7-1000-I-4.5L-2	2	7 FLUTE 1" DIAMETER 4.5 OAL 2" LOC INOXACON

7 FLUTE LONG LENGTH FROOCON		
L-R-CB-FT7-500-F-4-2-.030	0	7 Flute 1/2" diameter 4" OAL 2" LOC 030 radius chip breaker FerroCon coating

7 FLUTE RADIUS		
R-FT7-250-.010	1	7 Flute 1/4" diameter 010 radius
R-FT7-500-030 STUB LOC	1	
R-FT7-500-060	11	7 FLUTE 1/2" DIAMETER 060 RADIUS

7 FLUTE RADIUS HYPERLOX		
R-N-FT7-375-HP-060	11	

7 FLUTE RADIUS INOXACON		
R-L-FT7-500-I-120	27	1/2 x 1-3/4" LOC x 3-3/4" OAL 7 FL, .120R, InoxoCon End Mill
R-S-ft7-750-I-060	4	7 Flute 3/4" diameter 060 radius stub length InoxaCon

7 FLUTE STUB INOXACON		
S-R-ft7-750-I-030	23	7 Flute 3/4" diameter 030 radius stub length InoxaCon

9 FLUTE RADIUS INOXACON		
R-FT9-750-I-.030-4.5"-2.25"-CS	6	3/4"D X 2-1/4"LOC X 4-1/2"OAL 9FL .030"CR VARIABLE INDEX ECCENTRIC RELIEF CARBIDE END

		MILL WITH CHIP SPLITTERS, INOXOCON COATED 030 RADIUS
--	--	--

4 FLUTE HIGH FEED MILL		
HFM4-250	0	4 flute 1/4" diameter high feed mill
HFM4-375	20	4 Flute 3/8" diameter high feed mill
HFM4-375	2	4 Flute 3/8" diameter high feed mill

4 FLUTE HIGH FEED MILL FERROCON		
HFM4-250-F	7	4 flute 1/4" diameter high feed mill FerroCon coating

4 FLUTE HIGH FEED MILL INOXACON		
HFM4-500-I	0	4 Flute 1/2" diameter high feed mill InoxaCon

5 FLUTE HIGH FEED MILL		
HFM5-500	20	5 Flute 1/2" diameter high feed mill

5 FLUTE HIGH FEED MILL ALUCON		
HFM5-500-AC	1	5 Flute 1/2" diameter high feed mill AluCon Coating

5 FLUTE HIGH FEED MILL INOXACON		
HFM5-250-I	5	5 FLUTE HIGH FEED MILL 1/4" DIAMETER INOXACON
HFM5-250-140-I	9	5 flute 1/4" diameter 140" cut high feed mill InoxaCon
HFM5-500-I	6	5 Flute 1/2" diameter high feed mill InoxaCon Coating